# SAFETY DATA SHEET

# 1. Identification

Product identifier	Envirotex Lite Resin	
Other means of identification		
SDS number	7511940	
Product code	02008, 02016, 02032, 02064, 02128	
Recommended use	High Gloss Coating	
<b>Recommended restrictions</b>	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer		
Company name	Environmental Technology, Inc.	
Address	300 S. Bay Depot Road	
	Fields Landing	
	CA 95537, USA.	
Telephone number	001 707-443-9323	
E-maill	mail@eti-usa.com	
Contact person	Technical Director	
Emergency phone number	800-424-9300 (CHEMTREC)	
2 Hazard(s) identification		

### 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1
OSHA defined hazards	Not classified.	

#### Label elements



Signal word	Warning		
Hazard statement	Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.		
Precautionary statement			
Prevention	Avoid breathing mist or vapor. Wear protective gloves/eye protection/face protection. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.		
Response	If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	Not applicable.		

# 3. Composition/information on ingredients

## Mixtures

Chemical name		CAS number	%
Epoxy Resins		Proprietary	4-90
C12 - C14 Alkyl Glycidyl Ether	s	Proprietary	1-40
Composition comments	All concentrations are in percent by weight u percent by volume.	inless ingredient is a gas. Gas	concentrations are i
	The manufacturer has claimed the exact per Communication Standard.	centage as trade secret under	the OSHA Hazard
4. First-aid measures			
nhalation	Move to fresh air. Call a physician if symptor discomfort continues.	ms develop or persist. Get med	dical attention if any
Skin contact	Remove contaminated clothing. Wash skin t skin irritation or rash occurs: Get medical ad wash before reuse.		
Eye contact	Immediately flush eyes with plenty of water f present and easy to do. Continue rinsing. Get		
Ingestion	Rinse mouth. Never give anything by mouth to a victim who is unconscious or is having convulsions. Get medical attention if symptoms occur.		
Most important symptoms/effects, acute and delayed	Contact may produce eye irritation with associated redness, swelling, tears and pain. Contact causes skin irritation. May cause sensitization by skin contact. Symptoms include redness, itchi and pain. Rash. Dermatitis.		
Indication of immediate medical attention and special treatment needed	Exposure may aggravate pre-existing skin disorders. Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.		
General information	If you feel unwell, seek medical advice (show personnel are aware of the material(s) involv contaminated clothing before reuse.		
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Car	bon dioxide (CO2).	
Jnsuitable extinguishing nedia	Water. Do not use water jet as an extinguish	er, as this will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed such as: Carbon oxides. Nitrogen Ox (NOx).		kides. Nitrogen Oxide
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		rn in case of fire.
Fire fighting equipment/instructions	In case of fire do not breath fumes. Move co	ntainers from fire area if you c	an do so without risk
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. Con containers exposed to flames with water until well after the fire is out.		
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Wear a clean-up. Avoid inhalation of vapors or mists ventilation. Local authorities should be advis personal protection, see section 8 of the SD	Avoid contact with skin and e ed if significant spillages cann	eyes. Ensure adequa

Methods and materials for containment and cleaning up Keep unnecessary personnel away. This product is miscible in water. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Environmental precautionsNever return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling

Keep out of reach of children. Avoid breathing mists or vapors. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash thoroughly after handling. Wash contaminated clothing before reuse. Avoid release to the environment. Observe good industrial hygiene practices.

### 8. Exposure controls/personal protection

•••====================================			
Occupational exposure limits	No exposure limits noted for ingredient(s).		
Biological limit values	No biological exposure limits noted for the ingredient(s).		
Exposure guidelines	No exposure standards allocated. Use personal protective equipment as required. Keep working clothes separately.		
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.		
Individual protection measures,	such as personal protective equipment		
Eye/face protection	Wear safety glasses with side shields (or goggles).		
Skin protection			
Hand protection	Chemical resistant gloves. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.		
Skin protection			
Other	Wear appropriate chemical resistant clothing to prevent any possibility of skin contact.		
Respiratory protection	No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. Wash at the end of each work shift and before eating, smoking and using the toilet.		

# 9. Physical and chemical properties

er i nyelear ana eriennear		
Appearance	Viscous liquid.	
Physical state	Liquid.	
Form	Liquid.	
Color	Clear.	
Odor	Minimal. Not distinct.	
Odor threshold	Not available.	
рН	Not available.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not available.	
Flash point	> 392.0 °F (> 200.0 °C) Seta Closed Cup	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	< 1.33 mbar	
Vapor density	> 1 ( Air=1)	
Relative density	Not available.	
Solubility(ies)		
Solubility (water)	Slightly soluble	
Envirotox Lito Booin		

Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Other information		
Percent volatile	0 % (VOC)	
10. Stability and reactivity		
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport. Read and follow manufacturer's recommendations.	
Chemical stability	Stable under normal temperature conditions and recommended use.	
Possibility of hazardous reactions	Hazardous polymerization does not occur.	
Conditions to avoid	Avoid high temperatures. Contact with incompatible materials.	
Incompatible materials	Strong oxidizing agents. Reacts violently with strong acids. Reacts violently with strong bases. Avoid contact with water and liquids. Do not allow molten product to contact water or other liquids. This can cause violent reactions.	
Hazardous decomposition	No hazardous decomposition products are known.	

products

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Inhalation of vapors or mists of the product may be irritating to the respiratory system.	
Skin contact	Causes skin irritation. May cause an allergic skin reaction.	
Eye contact	Causes serious eye irritation.	
Ingestion	Under normal conditions of intended use, this material does not pose a risk to health. May be harmful if swallowed.	
Symptoms related to the physical, chemical and toxicological characteristics	Contact may produce eye irritation with associated redness, swelling, tears and pain. Causes skin irritation. May cause sensitization by skin contact. Symptoms include redness, itching and pain. Dermatitis. Rash.	
Information on toxicological effe	ects	
Acute toxicity	Not expected to be a hazard under normal conditions of intended use. May be harmful if swallowed.	
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory or skin sensitization	l	
Respiratory sensitization	Due to partial or complete lack of data the classification is not possible.	
Skin sensitization	May cause an allergic skin reaction.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Resins of this type, liquid resins based on BisPhenolA/Epichlorohydrin (Epoxy Resin), have proved to be inactive when tested by in vivo mutagenicity assays.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
Not listed. NTP Report on Carcinogens Not listed.	Evaluation of Carcinogenicity d Substances (29 CFR 1910.1001-1053)	
Not listed.		
Reproductive toxicity	Not classified.	
Specific target organ toxicity - single exposure	Not classified.	

Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Due to the high viscosity the product is not an aspiration hazard.
Chronic effects	Based on available data, the classification criteria are not met.
12. Ecological information	
Ecotoxicity	Expected to be toxic to aquatic organisms. May cause long-term adverse effects in the environment.
Persistence and degradability	No data is available on the degradability of this product.

· · · · · · · · · · · · · · · · · · ·	
Bioaccumulative potential	No data available on bioaccumulation.
Mobility in soil	No data available.
Other adverse effects	None known.

### 13. Disposal considerations

Disposal instructions	Dispose of in accordance with federal, provincial and local regulations. Do not discharge into drains, water courses or onto the ground.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Dispose in accordance with applicable federal, state, and local regulations.
14 Transport information	

## 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to<br/>Annex II of MARPOL 73/78 and<br/>the IBC CodeNot applicable.General informationThis material is

This material is regulated only in bulk (> 119 Gallons/450 L) sizes. Non-bulk (<=119 Gallons/450 L) shipments can be reclassified to "not regulated" for transportation.

# 15. Regulatory information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.		
TSCA Section 12(b) Exp	oort Notification (40 CI	FR 707, Subpt. D)	
Not regulated.			
CERCLA Hazardous Su	bstance List (40 CFR 3	302.4)	
Not listed.			
SARA 304 Emergency r	elease notification		
Not regulated.			
OSHA Specifically Reg	ulated Substances (29	CFR 1910.1001-1053)	
Not listed.			
Toxic Substances Control Act (TSCA)		All components of the mixture on the TSCA 8(b) inventory are designated "active".	
Superfund Amendments and Re	authorization Act of 1	986 (SARA)	
SARA 302 Extremely hazard Not listed.	dous substance		
SARA 311/312 Hazardous chemical	Yes		
Classified hazard categories	Skin corrosion or irrita Serious eye damage Respiratory or skin se	or eye irritation	

#### SARA 313 (TRI reporting) Not regulated.

### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

**US state regulations** 

# **US. Massachusetts RTK - Substance List**

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

# **US. Rhode Island RTK**

Not regulated.

# **California Proposition 65**



WARNING: This product can expose you to Oxirane, 2-(-(phenoxymethyl)-, which is known to the State of California to cause cancer, and Phenol, 4.4'-(1-methylethylidene)bis, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### California Proposition 65 - CRT: Listed date/Carcinogenic substance

Oxirane, 2-( -(phenoxymethyl)- (CAS 122-60-1) Listed: October 1, 1990 California Proposition 65 - CRT: Listed date/Female reproductive toxin

Phenol, 4,4'-(1-methylethylidene)bis (CAS 80-05-7) Listed: May 11, 2015

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	17-April-2014
Revision date	22-July-2019
Version #	03
HMIS® ratings	Health: 2 Flammability: 0 Physical hazard: 0

References	ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents HSDB® - Hazardous Substances Data Bank IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices
Disclaimer	Environmental Technology, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.